

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	6363	coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 17:12
-	6398	(coprocessor) or (co adj server) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 16:22
-	6398	(coprocessor) or (co adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 16:22
-	108	((coprocessor) with server) or (co adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 16:23
-	3	coserver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 17:10
-	279	server with "trusted server"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 17:11
-	158	coprocessor near (secur\$3 trust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 17:12
-	5	coprocessor near (secur\$3 trust\$3) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:11
-	646	(interact\$4 exchange\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3) near (server computer (co adj server)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:15
-	0	(interact\$4 exchange\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authentikat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (co adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:20
-	208	(interact\$4 exchange\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authentikat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:21

-	0	(interact\$4 exchang\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authenticat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (server) and (reencrypt\$3 or (re adj encrypt\$3) (encrypt\$3 near2 (again time))) with (stor\$3 sav\$3) with (server (co adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:24
-	0	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authenticat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (server) and (reencrypt\$3 or (re adj encrypt\$3) (encrypt\$3 near3 (again time))) with (stor\$3 sav\$3) with (server (co adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:25
-	1	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authenticat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (server) and (reencrypt\$3 or (re adj encrypt\$3) (encrypt\$3 near3 (again time))) with (stor\$3 sav\$3 send\$3 sent) with (server (co adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 13:26
-	12	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authenticat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (server) and (reencrypt\$3 or (re adj encrypt\$3) (encrypt\$3 near3 (again time))) with (stor\$3 sav\$3 send\$3 sent receiv\$3) with (server (co adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 14:07
-	16	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authenticat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (server) and (reencrypt\$3 or (re adj encrypt\$3) (encrypt\$3 near3 (again time))) with (stor\$3 sav\$3 send\$3 sent receiv\$3) with (server (co adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:11

-	4	((interact\$4 exchange\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authenticat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (server) and (reencrypt\$3 or (re adj encrypt\$3) (encrypt\$3 near3 (again time))) with (stor\$3 sav\$3 send\$3 sent receiv\$3) with (server (co adj server))) not ((interact\$4 exchange\$3 transfer\$3 transmit\$4 transmission)with server with ((trust\$3 secur\$3) near (server computer (co adj server))) same (client user customer) and(client user customer) with ((authenticat\$4) or (secur\$3 private trust\$3) near (channel communicat\$4)) with (server) and (reencrypt\$3 or (re adj encrypt\$3) (encrypt\$3 near3 (again time))) with (stor\$3 sav\$3 send\$3 sent receiv\$3) with (server (co adj server)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:04
-	3820796	6223284.pn. and respon\$4 signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:12
-	1	6223284.pn. and (respon\$4 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:32
-	15	5848161.URPN.	USPAT	2004/08/25 17:46
-	36594	(operator administrator) with (install\$5 configur\$4 initializ\$3) wiht coprocessor with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:34
-	0	(operator administrator) with (install\$5 configur\$4 initializ\$3) with coprocessor with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:38
-	0	(operator administrator) with (install\$5 configur\$4 initializ\$3) with coprocessor same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:35
-	2	(install\$5 configur\$4 initializ\$3) with coprocessor with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:35
-	0	(operator administrator) with (install\$5 configur\$4 initializ\$3) with server same coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:38
-	1609	(operator administrator) with (install\$5 configur\$4 initializ\$3) with server andcoprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:38
-	5	(operator administrator) with (install\$5 configur\$4 initializ\$3) with server and coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:44

-	1609	(operator administrator) with (install\$5 configur\$4 initializ\$3) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:46
-	0	(operator administrator) with (install\$5 configur\$4 initializ\$3) with (co adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:45
-	0	(operator administrator) with (install\$5 configur\$4 initializ\$3) with platform with (secur\$3 trust\$3) near server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:47
-	18	(operator administrator) with (install\$5 configur\$4 initializ\$3) with (secur\$3 trust\$3) near server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:47
-	0	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) with ((trust\$3 secur\$3) near (co adj server)) same coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:08
-	30	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) with coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:16
-	49	(interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) same coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:22
-	19	((interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) same coprocessor) not ((interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) with coprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:16
-	74	(server provider) with coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:22
-	39	((server provider) with coprocessor) not ((interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider) same coprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:28
-	348	(plurality several many) near3 (client user) with (server provider supplier) with (trust\$3 secur\$3) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:30
-	100	(plurality several many) near3 (client user) with (server provider supplier) with (trust\$3 secur\$3) with server and ssl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:31
-	0	(plurality several many) near3 (client user) with (server provider supplier) with (trust\$3 secur\$3) with server and (shar\$3 symmetr\$3 common) near key and (coserver (co near server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:42

-	1	(plurality several many) near3 (client user) with (server provider supplier) with (trust\$3 secur\$3) with server and (shar\$3 symmetr\$3 common) near key and (generat\$3 produc\$3) with (output message) with (depend\$3 correspond\$3 based basis) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 16:34
-	73	(plurality several many) near3 (client user) with (server provider supplier) with (trust\$3 secur\$3) with server and (shar\$3 symmetr\$3 common) near key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:00
-	27	(plurality several many) near3 (client user) with (server provider supplier) with (trust\$3 secur\$3) with server and (shar\$3 symmetr\$3 common) near key and (trust\$3 secur\$3) near (coserver co-server third)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:09
-	228	(client user customer) near2 (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (coserver coprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:34
-	5	(client user customer) near2 (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (client user customer) near2 (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:33
-	23	(client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:43
-	18	((client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor)) not ((client user customer) near2 (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (client user customer) near2 (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:32
-	37	(client user customer) near2 (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (coserver coprocessor) and timestamp\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:34
-	1	(plurality several many) near3 (client user) with (server provider supplier) with (trust\$3 secur\$3) with server and (shar\$3 symmetr\$3 common) near key and (coserver (tamper near resistant) (co near server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:43

-	73	(client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:47
-	72	((client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant))) not ((client user customer) near2 (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (server provider merchant supplier) and (coserver coprocessor) and timestamp\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:44
-	23	(client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:48
-	10	(client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:49
-	7629	(client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and state timestamp\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 17:50
-	9	(client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (trust\$3 secur\$3) with (server provider merchant supplier) and (client user customer) with (interact\$4 exchang\$3 transfer\$3 transmit\$4 transmission send\$3 receiv\$3) with (coserver coprocessor (tamper near resistant)) and (shar\$3 symmetr\$3 common) near key and (state timestamp\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 18:16
-	37	("5677955" "5629980" "5590197" "5557518" "5148534" "5146575" "5109413" "4916738" "4817140" "5956699" "5943424" "5933498" "5917912" "5850442" "5835595" "5768389" "5768382" "5742756" "5696827" "4817140").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 19:10

-	1	5943424.pn. and ("120" with "140")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 19:11
-	72	coprocessor with server	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 10:00
-	22	(US-5809493-\$ or US-5590199-\$ or US-6064993-\$ or US-5848161-\$ or US-5960086-\$ or US-6233684-\$ or US-6453296-\$ or US-6643701-\$ or US-6745231-\$ or US-6105012-\$ or US-6202157-\$ or US-5761380-\$ or US-6772333-\$).did. or (US-20020019843-\$ or US-20030188158-\$ or US-20030140007-\$ or US-20020111997-\$ or US-20020107804-\$ or US-20040049515-\$ or US-20040015725-\$ or US-20010027527-\$).did. or (US-20010032305-\$).did.	USPAT; US-PGPUB; DERWENT	2004/08/30 18:44
-	1	((US-5809493-\$ or US-5590199-\$ or US-6064993-\$ or US-5848161-\$ or US-5960086-\$ or US-6233684-\$ or US-6453296-\$ or US-6643701-\$ or US-6745231-\$ or US-6105012-\$ or US-6202157-\$ or US-5761380-\$ or US-6772333-\$).did. or (US-20020019843-\$ or US-20030188158-\$ or US-20030140007-\$ or US-20020111997-\$ or US-20020107804-\$ or US-20040049515-\$ or US-20040015725-\$ or US-20010027527-\$).did. or (US-20010032305-\$).did.) and virus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 18:46
-	2	((US-5809493-\$ or US-5590199-\$ or US-6064993-\$ or US-5848161-\$ or US-5960086-\$ or US-6233684-\$ or US-6453296-\$ or US-6643701-\$ or US-6745231-\$ or US-6105012-\$ or US-6202157-\$ or US-5761380-\$ or US-6772333-\$).did. or (US-20020019843-\$ or US-20030188158-\$ or US-20030140007-\$ or US-20020111997-\$ or US-20020107804-\$ or US-20040049515-\$ or US-20040015725-\$ or US-20010027527-\$).did. or (US-20010032305-\$).did.) and (trojan virus\$3 or malicious)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 18:47